ELSEVIER

Forest Ecology and Management 205 (2005) 405–406

Forest Ecology and Management

www.elsevier.com/locate/foreco

Contents of *Forest Ecology and Management*, Volume 205

VOLUME 205, ISSUES 1–3 **1 FEBRUARY 2005**

Long-term responses of ecosystem components to stand thinning in young lodgepole pine forest. II. Diversity and population dynamics of forest floor small mammals
T.P. Sullivan, D.S. Sullivan, P.M.F. Lindgren and D.B. Ransome (Summerland, Canada) 1

Forest structure and mortality in an old-growth Jeffrey pine-mixed conifer forest in north-western Mexico
S.L. Stephens (Berkeley, CA, USA) and S.J. Gill (San Luis Obispo, CA, USA) 15

Effects of planting density on canopy dynamics and stem growth for intensively managed loblolly pine stands
R.E. Will (Athens, GA, USA), N.V. Narahari (Raleigh, NC, USA), B.D. Shiver and R.O. Teskey (Athens, GA, USA) 29

Long-term effects of precommercial thinning on small mammals in northern Maine
J.A. Homyack, D.J. Harrison and W.B. Krohn (Orono, ME, USA) 43

Influence of seedbed, light environment, and elevated night temperature on growth and carbon allocation in pitch pine (*Pinus rigida*) and jack pine (*Pinus banksiana*) seedlings
M.E. Day, J.L. Schedlbauer, W.H. Livingston, M.S. Greenwood, A.S. White (Orono, ME, USA) and J.C. Brissette (Durham, NH, USA) 59

Predicting the effects of tropospheric ozone on regional productivity of ponderosa pine and white fir
D.A. Weinstein (Ithaca, NY, USA), J.A. Laurence (Corvallis, OR, USA), W.A. Retzlaff (Edwardsville, IL, USA), J.S. Kern, E.H. Lee, W.E. Hogsett (Corvalis, OR, USA) and J. Weber (Ithaca, NY, USA and Edwardsville, IL, USA) 73

Effects of retention harvests on structure of old-growth *Pinus strobus* L. stands in Ontario
D.P. Bebber (Toronto, Canada), W.G. Cole (Saulte Ste. Marie, Canada), S.C. Thomas, D. Balsillie (Toronto, Canada) and P. Duinker (Halifax, Canada) 91

Mast seeding and its spatial scale in *Fagus crenata* in northern Japan
W. Suzuki (Ibaraki, Japan), K. Osumi (Kyoto, Japan) and T. Masaki (Ibaraki, Japan) 105

The effect of moose browsing on the height structure of Scots pine saplings in a mixed stand
J. Siipilehto and R. Heikkilä (Vantaa, Finland) 117

Photosynthetic gas exchange, growth and biomass allocation of two *Eucalyptus* and three indigenous tree species of Ethiopia under moisture deficit
J. Gindaba, A. Rozanov (Matieland, South Africa) and L. Negash (Addis Ababa, Ethiopia) 127

Coarse woody debris in a montane forest in Ecuador: mass, C and nutrient stock, and turnover
W. Wilcke (Berlin, Germany), T. Hess, C. Bengel (Bayreuth, Germany), J. Homeier (Bielefeld, Germany), C. Valarezo (Loja, Ecuador) and W. Zech (Bayreuth, Germany) 139

Using a forest patch model to predict the dynamics of stand structure in Swiss mountain forests
A. Wehrli, A. Zingg (Birmendsdorf, Switzerland), H. Bugmann (Zürich, Switzerland) and A. Huth (Leipzig, Germany) 149

The impact of climate change on growth of local white spruce populations in Québec, Canada
C. Andalo (Sainte-Foy, Canada and Toulouse, France), J. Beaulieu and J. Bousquet (Sainte-Foy, Canada) 169

The effects of scarification and shelterwood treatments on naturally regenerated seedlings in southern Sweden
M. Karlsson and U. Nilsson (Alnarp, Sweden) 183

Age-related equations for above- and below-ground biomass of a *Eucalyptus* hybrid in Congo
L. Saint-André (Montpellier, France), A.T. M'Bou, A. Mabiala, W. Mouvondy (Pointe-Noire, Congo), C. Jourdan (Montpellier, France), O. Roupsard (Espiritu Santo, Vanuatu), P. Deleporte (Pointe-Noire, Congo), O. Hamel (Montpellier, France) and Y. Nouvellon (Pointe-Noire, Congo) 199

Models of litterfall production for Scots pine (*Pinus sylvestris* L.) in Finland using stand, site and climate factors
M. Starr (Helsinki, Finland), A. Saarsalmi, T. Hokkanen (Vantaa, Finland), P. Merilä (Kaironiementie, Finland) and H.-S. Helmisaari (Vantaa, Finland) 215

doi:10.1016/S0378-1127(04)00862-X

Soil carbon dynamics in a Sitka spruce (*Picea sitchensis* (Bong.) Carr.) chronosequence on a peaty gley
A. Zerva, T. Ball, K.A. Smith and M. Mencuccini (Edinburgh, UK) 227
Assessing tropical lowland forest disturbance using plant morphological and ecological attributes
J.W.F. Slik (Leiden, The Netherlands) 241
Effect of microsites, logs and ungulate browsing on *Picea abies* regeneration in a mountain forest
A.D. Kupferschmid and H. Bugmann (Zürich, Switzerland) 251
Spatial patterns of seedling emergence and survival as a critical phase in holly (*Ilex aquifolium* L.) woodland recruitment in Central Spain
S. Arrieta and F. Suárez (Madrid, Spain) 267
The influence of the spatial pattern of trees on forest floor vegetation and silver fir (*Abies alba* Mill.) regeneration in uneven-aged forests
J.G. Paluch (Cracow, Poland) 283
Species, sources, seasonality, and sustainability of fuelwood commercialization in Masaya, Nicaragua
J.K. McCrary (Blacksburg, VA, USA and Managua, Nicaragua), B. Walsh (Managua, Nicaragua) and A.L. Hammett (Blacksburg, VA, USA) 299
Does the shelterwood method to regenerate oak forests affect acorn production and predation?
M.I. Bellocq (Buenos Aires, Argentina), C. Jones (Saulte Ste. Marie, Canada), D.C. Dey (Columbia, MO, USA) and J.J. Turgeon (Saulte Ste. Marie, Canada) 311
Relationship between balsam fir sawfly density and defoliation in balsam fir
K. Parsons, D. Quiring, H. Piene and G. Moreau (Fredericton, Canada) 325
Harvest residue and competing vegetation affect soil moisture, soil temperature, N availability, and Douglas-fir seedling growth
S.D. Roberts (Olympia, WA and Mississippi State, MS, USA), C.A. Harrington (Olympia, WA, USA) and T.A. Terry (Centralia, WA, USA) 333
Patterns of host use by the shoot-borer *Hypsipyla robusta* (Pyralidae: Lepidoptera) comparing five Meliaceae tree species in Asia and Australia
S.A. Cunningham, R.B. Floyd (Canberra, Australia), M.W. Griffiths and F. Ross Wylie (Indooroopilly, Australia) 351
Chemical, grazing, and manual cutting treatments in mixed herb–shrub communities have no effect on interior spruce survival or growth in southern interior British Columbia
J.L. Heineman, S.W. Simard, D.L. Sachs (Vancouver, Canada) and W.J. Mather (Kamloops, Canada) 359
The effects of genotype and spacing on *Pinus radiata* [D. Don] corewood stiffness in an 11-year old experiment
J.-P. Lasserre, E.G. Mason and M.S. Watt (Christchurch, New Zealand) 375
Sampling tree diversity in Malaysian tropical forests: an evaluation of a pre-felling inventory
M.D. Potts (La Jolla, CA, USA), A.R. Kassim, M.N. Nur Supardi (Kuala Lumpur, Malaysia), S. Tan (Sarawak, Malaysia) and W.H. Bossert (Cambridge, MA, USA) 385
Effects of exponential nutrient-loading on morphological and nitrogen characteristics and on after-planting performance of *Eucalyptus globulus* seedlings
D.C. Close (Tasmania, Australia), I. Bail (Hamilton, Australia), S. Hunter (Manjimup, Australia) and C.L. Beadle (Tasmania, Australia) 397

Contents of *Forest Ecology and Management*, Volume 205 405